Corona-S



Cover Type:	Silicone rubber	
Possible applications:	Plastic film and foil industry : corona treater back-up rolls	
Hardness Range:	70, 75, 80 Shore A	
Available Colours:	grey	
Recommended Cover Thickness:	min. 3 mm - max. 5 mm	
Temperature resistance:	Dry: c	continuous 180°C / peak 200°C
Properties and advantages: Excellent dielectric stability up to 50 l		r 4 mm layer
	Very constant and homogeneous properties, pure and defect free	
	Excellent resistance to ozone	
	Good behaviour and release properties in contact with plastic film	
	Easy to clean	
Chemical resistance:	Acid solutions: Alkaline solutions: Hot water and steam: Ozone: Oil and grease: Aromatic solvents (toluene, benzene,): Chlorinated solvents: Polar solvents (MEC, ether, acetate,):	Moderate Good Very good Excellent Good Not suited Not suited Moderate
Recommended cleaning products:	(Hot) water, steam, soap and detergents, industrial cleaners, alcohol based cleaners	

