


NipFoil-S-AS



Cover Type:	Rubber
Possible applications:	Production of plastic films : nip rollers, squeezing rollers, guiding rollers, lamination. Nip rollers for corona treaters thanks to high antistatic properties.
Hardness Range:	50, 55, 60, 65, 70, 75, 80, 85, 90 Shore A
Available Colours:	black
Recommended Cover Thickness:	min. 6 mm - max. 25 mm
Temperature resistance:	Dry: continuous 110°C / peak 130°C Wet: continuous 80°C / peak 90°C
Properties and advantages:	Very good mechanical and dynamical properties. Neutral behaviour in contact with all kind of plastic films. Excellent resistance to solvents. Not recommended with oils and greases Antistatic.
Specific characteristics:	Antistatic
Chemical resistance:	Acid solutions: Excellent Alkaline solutions: Excellent Hot water and steam: Very good Ozone: Excellent Oil and grease: Not suited Chlorinated solvents: Not suited Polar solvents (MEC, ether, acetate,...): Very good
Recommended cleaning products:	(Hot) water, acid and alkaline cleaners, IPA and alcohol, MEC, ether, ethyl acetate