



Cover Type:	Special rubber
Possible applications:	press section hard press, hard smoothing press roll
Hardness Range:	1 PJ
Available Colours:	black
Recommended Cover Thickness:	Standard 20 mm
Temperature resistance:	Dry: continuous 100°C / peak 115°C
Properties and advantages:	Doctorability Wear resistance Impact and marking resistance Profile stability in operation (85 shore D, 100 Shore A)
Doctoring:	with steel or plastic blades (Tg > 150°C), angle 25 to 28 degrees, load 200 to 300 N/m
Chemical resistance:	Acid solutions: Good Alkaline solutions: Good Hot water and steam: Good Ozone: Good Oil and grease: Excellent Chlorinated solvents: Not suited Polar solvents (MEC, ether, acetate,...): Not suited
Remark:	Reference list available on demand Good resistance to standard chemicals normally used in paper machines