

# HannePress HP



<b>Cover Type:</b>	Special rubber
<b>Possible applications:</b>	Jumbo press, High Loaded press (HLP), Extended Nip press (ENP)
<b>Hardness Range:</b>	12, 20, 25, 30, 35, 40, 45, 65 PJ
<b>Available Colours:</b>	black
<b>Recommended Cover Thickness:</b>	max. 20 mm
<b>Temperature resistance:</b>	Dry: continuous 120°C / peak 130°C
<b>Chemical resistance:</b>	Acid solutions: Good Alkaline solutions: Good Hot water and steam: Good Ozone: Good Oil and grease: Excellent Chlorinated solvents: Not suited Polar solvents (MEC, ether, acetate,...): Not suited
<b>Remark:</b>	- reference list available on demand - good resistance to standard chemicals normally used in paper machines