

# HannePulp



<b>Cover Type:</b>	Special rubber
<b>Possible applications:</b>	drum thickener, pulp thickener
<b>Hardness Range:</b>	50 Shore A 20, 30, 65, 90 PJ
<b>Available Colours:</b>	brown, blue, light brown, brown
<b>Recommended Cover Thickness:</b>	max. 30 mm
<b>Temperature resistance:</b>	Dry: continuous 120°C / peak 130°C
<b>Chemical resistance:</b>	Acid solutions: Very good Alkaline solutions: Very good Hot water and steam: Good Ozone: Excellent Oil and grease: Good Chlorinated solvents: Not suited Polar solvents (MEC, ether, acetate,...): Good
<b>Remark:</b>	- reference list available on demand - good resistance to standard chemicals normally used in paper machines