


Press Plast Gold



Cover Type:	Special rubber
Possible applications:	Tissue paper converting : marrying laminator roller - recommended in case of multi-plyes embossing
Hardness Range:	72 Shore D
Recommended Cover Thickness:	min. 10 mm - max. 15 mm
Temperature resistance:	Dry: continuous 110°C / peak 125°C
Properties and advantages:	Guarantees perfect assembly of the plies even if they are numerous, preserving product softness, thanks to the narrow nip and increased specific pressure No back-side effect (re-embossing of the inner ply) Excellent resistance to mechanical stress Very good abrasion resistance and lifetime Increased release properties
Chemical resistance:	Acid solutions: Very good Alkaline solutions: Good Hot water and steam: Good Ozone: Very good Oil and grease: Good Aromatic solvents (toluene, benzene,...): Not suited Chlorinated solvents: Not suited Polar solvents (MEC, ether, acetate,...): Not suited Alcohols (ethanol, IPA,...): Very good Ageing resistance: Very good
Recommended cleaning products:	(Warm) water, soap, industrial cleaners and detergents, alcohol, (diluted) acid cleaners