



Cover Type:	Rubber																
Possible applications:	<p>Production of metal strip : pinch rolls, hold-down rolls, steering, bridle and detour rolls, conveyor rollers, oil distribution and wipe-off rolls, squeegee rolls in different environments</p> <p>Diverse applications in a lot of industrial areas : textile, packaging, (card)board, plastic film, converting, glass, wood etc.</p> <p>Rollers and wheels in contact with oil, fuel or grease, even at higher temperature</p>																
Hardness Range:	65, 75, 80, 85, 90 Shore A																
Available Colours:	beige																
Recommended Cover Thickness:	min. 10 mm - max. 25 mm																
Temperature resistance:	Dry: continuous 90°C / peak 110°C Wet: continuous 60°C / peak 80°C																
Properties and advantages:	<p>Excellent resistance to mineral and vegetal oil, fuel, grease and (animal) fat</p> <p>Very good physical properties, tear and abrasion resistance, good elasticity and resilience</p> <p>Non-staining in contact with delicate substrates</p> <p>Good and stable grip in contact with most substrates</p> <p>Very good squeegee and wipe-off behaviour</p>																
Chemical resistance:	<table><tr><td>Acid solutions:</td><td>Good</td></tr><tr><td>Alkaline solutions:</td><td>Very good</td></tr><tr><td>Hot water and steam:</td><td>Good</td></tr><tr><td>Ozone:</td><td>Good</td></tr><tr><td>Oil and grease:</td><td>Excellent</td></tr><tr><td>Aromatic solvents (toluene, benzene,...):</td><td>Moderate</td></tr><tr><td>Chlorinated solvents:</td><td>Not suited</td></tr><tr><td>Polar solvents (MEC, ether, acetate,...):</td><td>Not suited</td></tr></table>	Acid solutions:	Good	Alkaline solutions:	Very good	Hot water and steam:	Good	Ozone:	Good	Oil and grease:	Excellent	Aromatic solvents (toluene, benzene,...):	Moderate	Chlorinated solvents:	Not suited	Polar solvents (MEC, ether, acetate,...):	Not suited
Acid solutions:	Good																
Alkaline solutions:	Very good																
Hot water and steam:	Good																
Ozone:	Good																
Oil and grease:	Excellent																
Aromatic solvents (toluene, benzene,...):	Moderate																
Chlorinated solvents:	Not suited																
Polar solvents (MEC, ether, acetate,...):	Not suited																
Recommended cleaning products:	(Hot) water, soap, most industrial cleaners, alcohol, light fuel, terpentine, white spirit																
Remark:	Suited for NaOH and KOH solutions up to 5 % concentration, at temperature of max. 75 °C																