



<b>Cover Type:</b>	Rubber	
<b>Possible applications:</b>	<p>All industries : rollers submitted to polar solvents, to acid and alkaline environments and/or to elevated temperatures</p> <p>Transport, conveyor, press and nip rollers - Furnace &amp; dryer entry/exit rollers</p> <p>Food, pharmaceutical, chemical industry &amp; water treatment : press, drive and conveyor rollers for filter presses</p> <p>Rollers in contact with plastic products</p> <p>Rollers and parts for outside and offshore applications</p>	
<b>Hardness Range:</b>	35, 50, 60, 70, 75, 80, 90 Shore A	
<b>Available Colours:</b>	black	
<b>Recommended Cover Thickness:</b>	min. 12 mm - max. 25 mm	
<b>Temperature resistance:</b>	Dry: Wet:	continuous 115°C / peak 130°C continuous 85°C / peak 95°C
<b>Properties and advantages:</b>	<p>Very good chemical resistance to polar solvents like MEC, acetates, ether &amp; alcohol</p> <p>Very good chemical resistance to most acid and alkaline solutions, even at higher temperature</p> <p>Good mechanical properties &amp; abrasion resistance</p> <p>Excellent resistance to ozone and to weather/seewater conditions</p> <p>Not suited for contact with (mineral) oil und grease, not suited for contact with aromatic and chlorinated solvents</p>	
<b>Specific characteristics:</b>	Antistatic	
<b>Chemical resistance:</b>	Acid solutions: Alkaline solutions: Hot water and steam: Ozone: Oil and grease: Aromatic solvents (toluene, benzene,...): Chlorinated solvents: Polar solvents (MEC, ether, acetate,...): Alcohols (ethanol, IPA,...):	Very good Very good Very good Excellent Not suited Not suited Not suited Excellent Excellent

Ageing resistance: Very good

---

**Recommended cleaning products:** (Hot) water, acid and alkaline cleaners, IPA and alcohol, MEC, ether, ethyl acetate

---